

Catalogue Customized Display

Created & designed by ZYT

www.zytlcd.com

michael@zytlcd.com

mark@zytlcd.com


Introduction

Who are we?

ShenZhen Zhengyuantai Technology CO.,.Ltd known as ZYT International Limited is a chinese leading industrial display manufacturer certicated by CCC,ISO9001.

We started our business 11 years ago and specialized in customized display,digital signage,embedded panel pc,smart e-blackboard.

We had perfect production facilities.In 2016 open cell assembled line was built,which enables us to customize brightness. In 2017,metalwork factory was established,which helps deliver metalwork super fast.



Shenzhen **ZhengYuanTai** Technology Co.,.Ltd.
ZYT INTERNATIONAL LIMITED

Add:1F,3F,5F,1st,Building,LeBao Industrial
Park,FengXin Rd,Guangming District,Shenzhen,China.

ABOUT ZYTD

We got over 10 years experience in LCD display industry

Section I:Industrial Customized Display

- Customized display
- Open frame monitor(Touch)
- Open frame panel pc(Touch)
- IP65 grade touch monitor
- IP65 grade touch panel pc
- Stretched monitor

Temperature Tablet with Sanitizer



Introduction

ZYT is now offering leading edge Temperature Measurement & Face Recognition Tablet for commercial and industrial use.

The product aids in disease prevention and control, with contactless temperature detection, facial recognition software and NFC reading capabilities. Our monitoring system features a convenient 8-inch IPS screen and performs temperature detection with an infrared thermal imaging module from a distance of .5 meter to 1 meter.

Feature:

Small Business

Applications Hospitals & Institutions


Factories & Offices

Schools & Learning Facilities Distribution Centers

Other Places With Heavy Traffic



Thru Touch



Touch glass works thru a 6mm cover lens



How Thru Touch works?

Put a 6mm glass len on front of touch glass, it works smoothly, even there is a 0.3-0.5mm air gap between lens

Supported by



For more information, please visit our web

www.zytlcd.com

Open Frame Monitor(Touch)



Features:

- Size:7"-86"
- Capacitive Touch
- HDMI,DP,VGA
- Can be fully customized
- Thru touch technology
- 6-12mm touch glass available
- EETI/Ilitek solution

Range

Size	Resolution	Brightness
7"	1024x768	320nits
8"	1280x800	700nits
10.1"	1280x800	350nits
10.4"	1024x768	350nits
11.6"	1920x1080	300nits
12.1"	800x600	300nits
12.3"	1920x720	700nits
15"	1024x768	300nits
15.6"	1920x1080	250nits
17"	1280x1024	250nits
19"	1280x1024	250/500nits
19"Wide	1440x900	250nits
21.5"	1920x1080	250nits-1000nits
22"	1680x1050	250nits
23.8"	1920x1080	250nits
27"	1920x1080	250nits
32"	1920x1080	350nits
43"	1920x1080	350nits
49"	1920x1080	350nits
55"	1920x1080	350nits
65"	3840x2160	350/500nits
75"	3840x2160	350nits
86"	3840x2160	350nits

*Customized brightness and size available on request



Application

Features:

- Size:10.1" to 32"
- Capacitive Touch,10 points touch
- Embedded into Kiosk,Vending machine,Roulette
- 50,000 hours life,24/7 working
- HDMI,DP
- CE,FCC certificated
- 2 years warranty



ATM




Queuing Machine



Order Machine



Vending Machine



Ticket Machine



POS Machine

*Customized brightness and size available on request

Open Frame Panel PC(Touch)



Features:

- Size:10.1"-65"
- Capacitive Touch
- Windows 10 OS / Linux /Anroid
- Can be fully customized
- Widely used in Kiosk,auotomatic machines
- EETI/Ilitek Solution
- 2 years warranty

Range

Size	Resolution	Brightness
10.1"	1280x800	350nits
10.4"	1024x768	350nits
15"	1024x768	300nits
17"	1280x1024	250nits
19"	1280x1024	250/500nits
21.5"	1920x1080	250nits-1000nits
23.8"	1920x1080	250nits
27"	1920x1080	250nits
32"	1920x1080	350nits
43"	1920x1080	350nits
49"	1920x1080	350nits
55"	1920x1080	350nits
65"	3840x2160	350/500nits

*Customized brightness and size available on request

Industrial Monitor/Panel PC (IP65 Front)

IP65 Front



Range

Size	Resolution	Brightness
10.1"	1280x800	350nits
10.4"	1024x768	350nits
15"	1024x768	300nits
17"	1280x1024	250nits
19"	1280x1024	250/500nits
21.5"	1920x1080	250nits-1000nits
23.8"	1920x1080	250nits
27"	1920x1080	250nits
32"	1920x1080	350nits
43"	1920x1080	350nits
49"	1920x1080	350nits
55"	1920x1080	350nits
65"	3840x2160	350/500nits

*Customized brightness and size available on request

Features:


- Size 10.1"to 65"
- HDMI/DP monitor version
- Or Panel PC version with Windows/Android.
- Windows10:J1900/I3/I5
- Android5.1/8.0:Rockchip RK3288/3399.
- Capacitive touch/Resisitive(For size 15"-19")
- IP65 front.
- Aluminum bezel
- 50,000 hours life.
- Customized brightness.

Stretched LCD Monitor

Stretched Display



38"stretched monitor with IR touch.



12.3" stretched monitor with PCAP

Size	Resolution	Brightness	View Angle
12.3"	1920x720	700cd	170°/160°
16.4"	1366x230	700cd	170°/160°
19.1"	1920x340	700cd	170°/160°
19.2"	1920x388	700cd	170°/160°
19.7"	1920x624	700cd	170°/160°
21.9"	1920x720	320cd	170°/160°
24.6"	1920x578	700cd	170°/160°
28"	1920x360	600cd	178°/178°
28.8"	1366x384	500cd	178°/178°
38"	1920x540	700cd	176°/176°
41.5"	1920x540	500cd	176°/176°
48.5"	1920x360	500cd	176°/176°
49.5"	1920x540	500cd	178°/178°
57.2"	1920x364	500cd	178°/178°
57.5"	1920x405	500cd	178°/178°

*Other sizes available on request

*Can be monitor / Android / Windows version



Section II: Commercial Display

- Double side digital signage
- Interactive kiosk
- Wall mount digital signage
- Freestanding digital signage
- Horizontal digital signage
- Blackboard

43 " Curved Touch Monitor(1500R curved)

Curved Monitor



Introduction

The 43" curved monitor for gamble and gaming machine.

- 43 inch with 3840x2160 resolution.
- HDMI/DP
- LG panel with 1500R curved.
- 450cd/ m² brightness
- Capacitive touch, 10 points for option
- 89/89/89/89 view angle
- 2 years warranty

Size	Resolution	Brightness	View Angle
43"	3840x2160	450nits	89/89/89/89

Double Sides Digital Signage



Features

- Support same& different display
- Wide view angle,Super slim,gorgeous design
- 50,000 hours life.
- Multi Media / Android / PC built inside
- Crispy image
- FHD & UHD available.

Item	Specification
Size	43"/55"
Resolution	1920x1080 or 3840x2160
View Angle	178°/178°
Luminance	500cd
Speaker	Built inside
Android version	Android 5.1 /6.0/8.1
Windows	Windows 10
WIFI/Bluetooth	Support

Freestanding Digital Poster



FHD/UHD

IPS

IPS Panel



Integrated
speaker



2 year warranty



AD Posting system



Wide view angle



24/7 Usage



Android5.1/8.1




Win10

Features

- Wide view angle,Super slim,gorgeous design
- 50,000 hours life,24x7 working
- Multi Media / Android / PC built inside
- FHD & UHD available.
- P-CAP & IR touch
- Advertisement posting system
- RK3188/3288/3399 Rochchip inside
- Android 4.4/5.1/8.1 Windows
- Motion sensor available

Size	Resolution	Touch
32"	1920x1080	P-CAP
43"	1920x1080	P-CAP
49"	1920x1080	P-CAP/IR
55"	1920x1080	P-CAP/IR
65"	1920x1080	P-CAP/IR
75"	3840x2160	P-CAP/IR
86"	3840x2160	P-CAP/IR
98"	3840x2160	P-CAP/IR

Dual Screen Digital Signage for Elevator



Dual Screen Digital Signage for Elevator

18.5"+10.1" Digital Signage




Features

- 18.5"+10.1" IPS Panel, wide view angle
- Android inside, RK3288/RK3399 inside
- 50,000 hours life, 24/7 working
- Advertisement Posting System inside
- White/Black color available
- NFC function & Motion sensor available





Dual Screen Digital Signage for Elevator

21.5"+19.1" Digital Signage



Features

- 21.5"+19.1" IPS Panel, wide view angle, 300cd brightness
- Android inside, RK3288/RK3399 inside
- 50,000 hours life, 24/7 working
- Advertisement Posting System inside
- White/Black color available
- NFC & Motion sensor available



Wall Mount Digital Signage



Features

- Wide view angle,Super slim,gorgeous design
- 50,000 hours life,24x7 working
- Multi Media / Android / PC built inside
- FHD & UHD available.
- P-CAP available
- Advertisement posting system
- RK3188/3288/3399 Rochchip inside
- J1900/i3/i5/i7 CPU
- Android 5.1/8.1 Windows
- NFC function / Motion sensor available



FHD/UHD

IPS

IPS Panel



Integrated
speaker



2 year warranty



AD Posting system



Wide view angle



24/7 Usage



Android5.1/8.1



Win10

Size	Resolution	Touch
32"	1920x1080	Capacitive
43"	1920x1080	Capacitive
49"	1920x1080	Capacitive/IR
55"	1920x1080	Capacitive/IR
65"	1920x1080/3840x2160	Capacitive/IR
75"	3840x2160	Capacitive/IR
84"	3840x2160	Capacitive/IR
86"	3840x2160	Capacitive/IR
98"	3840x2160	Capacitive/IR

Digital Signage with Horizontal Display



Features

- Wide view angle,Super slim,gorgeous design
- 50,000 hours life,24x7 working
- Multi Media / Android / PC built inside
- FHD & UHD available.
- P-CAP available
- Advertisement posting system
- RK3128/3288/3399 Rochchip inside
- J1900/i3/i5/i7 CPU available
- Android 5.1/8.1 Windows
- NFC function & Motion sensor available



FHD/UHD

IPS

IPS Panel



Intergrated
speaker



2 year warranty



AD Posting system



Wide view angle



24/7 Usage



Android5.1/8.1



Win10

Size	Resolution	Touch
32"	1920x1080	Capacitive
43"	1920x1080	Capacitive
49"	1920x1080	Capacitive/IR
55"	1920x1080	Capacitive/IR
65"	1920x1080/3840x2160	Capacitive/IR
75"	3840x2160	Capacitive/IR
86"	3840x2160	Capacitive/IR
98"	3840x2160	Capacitive/IR
100"	3840x2160	Capacitive/IR

Interactive Whiteboard

The machine is based on Android system and complaint with OPS design. The basic Android system has WIFI, Ethernet Bluetooth connectivity port for network.



Features

- Dual OS, Android/Windows, OPS design
- 50,000 hours life, 24x7 working
- Capacitive & IR touch available
- Smooth writing
- Long product life cycle
- Widely used for education



FHD/UHD

IPS

IPS Panel



Intergrated speaker



2 year warranty



OPS Design



Wide view angle



24/7 Usage



Dual OS



Smooth writing

Size	Resolution	Touch
55"	1920x1080	Capacitive/IR
65"	1920x1080/3840x2160	Capacitive/IR
75"	3840x2160	Capacitive/IR
86"	3840x2160	Capacitive/IR
98"	3840x2160	Capacitive/IR

Network Digital Poster



Features

- Wide view angle,Super slim,gorgeous design
- 50,000 hours life,24x7 working
- Multi Media / Android / PC built inside
- FHD & UHD available.
- P-CAP available
- Advertisement posting system
- RK3128/3288/3399 Rochchip inside
- Android 5.1/8.1 Windows



FHD/UHD

IPS

IPS Panel



Intergrated
speaker



2 year warranty



AD Posting system



Wide view angle



24/7 Usage



Android5.1/8.1



Win10

Size	Resolution	Touch
32"	1920x1080	P-CAP
43"	1920x1080	P-CAP
49"	1920x1080	P-CAP/IR
55"	1920x1080	P-CAP/IR



FHD/UHD

IPS

IPS Panel



Integrated
speaker



2 year warranty



AD Posting system



Wide view angle



24/7 Usage



Android5.1/8.1



Win10

Features

- Wide view angle,Super slim,gorgeous design
- 50,000 hours life,24x7 working
- Multi Media / Android / PC built inside
- FHD & UHD available.
- P-CAP & IR touch
- Advertisement posting system
- RK3128/3288/3399 Rochchip inside
- Android 5.1/8.1 /Windows

Size	Resolution	Touch
32"	1920x1080	P-CAP
43"	1920x1080	P-CAP
49"	1920x1080	P-CAP/IR
55"	1920x1080	P-CAP/IR
65"	1920x1080	P-CAP/IR
75"	3840x2160	P-CAP/IR
86"	3840x2160	P-CAP/IR
98"	3840x2160	P-CAP/IR

E-Blackboard

Smart e-Blackboard provides a more scientific solution to classrooms with a touchscreen panel and writable glass surface design.

It empowers teachers to be efficient and allows students to have an intuitive perception of teaching contents.



4K

3840x2160
resolution



10 points touch



Multiplayer
interaction



178°/178° view angle



Smooth writing



Anti glare
Eye protection



Dual OS
Android+Windows



Projector

Catalogue Customized Display

Created & designed by ZYT

www.zytlcd.com

michael@zytlcd.com

mark@zytlcd.com